

# Receiving Report

Date: 17-03-21

Batch No: 137112

Supplier: KIX

Dart P/O: 35555

Packing Slip: Yes ☐ No ☐  
 Invoice: Yes ☐ No ☐  
 Receipt: Cash ☐ Cr ☐  
 New Supplier Yes ☐ No ☐

Release Note Attached: Yes ☒ No ☐ N/A ☐  
 Waybill Attached: Yes ☒ No ☐  
 Shipment Complete: Yes ☐ No ☒ N/A ☒  
 QC18 Inspection ☐ N/A ☒  
 Work Order ☐ N/A ☒

## Discrepancies

Part Number	Description	Quantity Ordered	Quantity Rec'd	Quantity Short	Quantity Inspected	Quantity Rejected	Comment / NCR Number

Initials of Receiver

QC12

Sp

Production/Admin:

Date

Received/Costing

Initial

Location





Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

# PURCHASE ORDER

Purchase Order ID PO35555

Purchase Order Date 3/10/2017  
PO Print Date 3/10/2017

Page Number 5 of 12

Order From :

KLX INC.  
88289 EXPEDITE WAY  
CHICAGO, IL 33172  
USA

VU-KLX01

Ship To : DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

Contact Name

Vendor Phone 305-925-2600

Ship To Contact

Ship To Phone

Ship Via:

Ship Acct:

FedEx Economy collect

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

USD

Destination-Collect

14 FE-832-EF

PEM Insert

3/15/2017

Yes

3/15/2017

50.00  
Each

\$0.66

\$33.00

Line Total:

\$33.00

15 LN9038-05012

Bolt

3/15/2017 FN

Yes

3/15/2017

130.00  
Each

\$1.07

\$139.10

Line Total:

\$139.10

16 MS20600-AD4W2

Rivet

3/15/2017

Yes

3/15/2017

125.00  
Each

\$0.17

\$21.25

Line Total:

\$21.25

17 MS20600-AD4W4

Rivet

3/15/2017

Yes

3/15/2017

500.00  
Each

\$0.18

\$90.00

Note:

3/10/2017



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO35555**

Purchase Order Date 3/10/2017

PO Print Date 3/10/2017

Page Number 11 of 12

**Order From :**

KLX INC.  
88289 EXPEDITE WAY  
CHICAGO, IL 33172  
USA

VU-KLX01

**Ship To :** DART AEROSPACE LTD

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

**Contact Name**

**Vendor Phone**

305-925-2600

**Ship To Contact**

**Ship To Phone**

**Ship Via:**

FedEx Economy collect

**Ship Acct:**

**Buyer**

Chantal Lavoie

**Customer POID**

**Customer Tax #**

10127-2607

**Terms**

Net 30

**Currency**

USD

**FOB**

Destination-Collect

35 NAS1149DN949J

Washer

3/15/2017 FN

Yes

150.00

Each

\$0.15

\$22.50

3/15/2017

Line Total:

\$22.50

36 NAS1149F0332P

Washer

3/15/2017 FN

Yes

1,800.00

Each

\$0.01

\$20.34

3/15/2017

Line Total:

\$20.34

Note:

3/10/2017

SP17-03-17

**SOLD TO:**

002409  
DART AEROSPACE LTD  
1270 ABERDEEN ST  
HAWKESBURY, ON  
CANADA K6A 1K7



**SHIP TO:**

DART AEROSPACE LTD  
1270 ABERDEEN ST  
HAWKESBURY, ON  
CANADA K6A 1K7

ORDER NO. PO35555		DATE 03/13/17	SHIP VIA FEDX INTL ECON COLL		TERMS NET 30		SHIPPING TERMS EXW-BURGESS HIL	
ITEM NO.	QUANTITY ORDERED	PART NUMBER AND DESCRIPTION		PRICE	UNIT	BACK ORDER	SHIPPED	AMOUNT
15	130	LN9038-05012 TARIEFF: 73181595 Description BOLT ECCN :EURNL MFR: AHG ATELIERS HAUTE CTRL#: 2014G06108 LOT#: 291280 P001 F002 LOT QTY: 130 Country of Origin FRANCE  Export Supply 0% VAT according to Art 146 (1) (a), EU VAT Directive 2006/112/EC  Ultimate Destination DART AEROSPACE LTD 1270 ABERDEEN ST HAWKESBURY ON K6A 1K7 CANADA		1.070	EA	0	130	139.10
MATERIAL TO BE RETURNED MUST HAVE PRIOR AUTHORIZATION BY KLX INC.								

ALL ITEMS ARE SUBJECT TO A 100% RESTOCKING CHARGE.

**SHIPPED FROM:** KLX INC., CHARLES AVENUE, BURGESS HILL, WEST SUSSEX RH15 9UF, UK

**MATERIAL CERTIFICATION:** KLX INC. ("KLX AEROSPACE SOLUTIONS") WARRANTS THAT THE ITEMS SUBJECT OF THIS INVOICE WILL BE FREE FROM DEFECTS OF MATERIAL AND WORKMANSHIP AND, AS SET FORTH ON THE MATERIAL CERTIFICATION FORM ACCOMPANYING THE ITEMS SUBJECT OF THIS INVOICE, ARE IN CONFORMITY WITH ALL CURRENT GOVERNMENTAL REQUIREMENTS AND THE SPECIFICATIONS OF THE RESPECTIVE MANUFACTURERS. KLX AEROSPACE SOLUTIONS DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ALL WARRANTIES OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE. THE LIABILITY OF KLX AEROSPACE SOLUTIONS IS EXPRESSLY LIMITED EXCLUSIVELY TO REPLACEMENT BECAUSE OF A DEFECT IN MATERIAL OR WORKMANSHIP SUCH REPLACEMENT SHALL OF ANY ITEM WHICH IS REJECTED CONSTITUTE SATISFACTION OF ALL LIABILITY KLX AEROSPACE SOLUTIONS MAY HAVE IN CONNECTION WITH SUCH ITEM, WHETHER LIABILITY IS BASED UPON CONTRACT RIGHTS, NEGLIGENCE, OR OTHERWISE, AND IN NO EVENT SHALL KLX AEROSPACE SOLUTIONS BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES. FURTHER, KLX AEROSPACE SOLUTIONS MUST BE NOTIFIED OF A REJECTION OF AN ITEM WITHIN 30 DAYS AFTER RECEIPT BY THE CUSTOMER.



**PACKING SLIP**

BY RECEIVING DELIVERY OF THE ITEMS COVERED BY THIS PACKING SLIP, BUYER AGREES TO THE TERMS AND CONDITIONS OF SALE AT:  
<http://www.KLXAerospace.com/conditions-sale/>



Vice President of Quality

DART AEROSPACE LTD  
1270 ABERDEEN ST  
HAWKESBURY, ON  
CANADA K6A 1K7

ORDER NO.		DATE	SHIP VIA	TERMS		SHIPPING TERMS		
PO35555		03/13/17	FEDX INTL ECON COLL	NET 30		EXW-BURGESS HIL		
ITEM NO.	QUANTITY ORDERED	PART NUMBER AND DESCRIPTION		PRICE	UNIT	BACK ORDER	SHIPPED	AMOUNT
	# 1=CTN	1.00 Lb / 0.45 Kg						
	FREIGHT ACCT# 15179324-0							
	TEL# 613-632-3336							
	DIMENSIONS: Lg BagXX							
INVOICE#.....: J9B22A								
ORDER#.....: ARE9J5								
* CUST VAT								
* KLX VAT GB 202 3356 57								
NBP RATIO AS OF 03/12/2017: 0.8218								
NET Amount GBP: 114.31								
VAT Amount GBP: 0.00								
TOTAL AMOUNT GBP: 114.31								
wau ARE9J5		SHIPPED ON 03/13/17						

ALL ITEMS ARE SUBJECT TO A 100% RESTOCKING CHARGE.

**SHIPPED FROM:** KLX INC., CHARLES AVENUE, BURGESS HILL, WEST SUSSEX RH15 9UF, UK

**MATERIAL CERTIFICATION:** KLX INC. ("KLX AEROSPACE SOLUTIONS") WARRANTS THAT THE ITEMS SUBJECT OF THIS INVOICE WILL BE FREE FROM DEFECTS OF MATERIAL AND WORKMANSHIP AND, AS SET FORTH ON THE MATERIAL CERTIFICATION FORM ACCOMPANYING THE ITEMS SUBJECT OF THIS INVOICE, ARE IN CONFORMITY WITH ALL CURRENT GOVERNMENTAL REQUIREMENTS AND THE SPECIFICATIONS OF THE RESPECTIVE MANUFACTURERS. KLX AEROSPACE SOLUTIONS DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ALL WARRANTIES OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE. THE LIABILITY OF KLX AEROSPACE SOLUTIONS IS EXPRESSLY LIMITED EXCLUSIVELY TO REPLACEMENT BECAUSE OF A DEFECT IN MATERIAL OR WORKMANSHIP SUCH REPLACEMENT SHALL OF ANY ITEM WHICH IS REJECTED CONSTITUTE SATISFACTION OF ALL LIABILITY. KLX AEROSPACE SOLUTIONS MAY HAVE IN CONNECTION WITH SUCH ITEM, WHETHER LIABILITY IS BASED UPON CONTRACT RIGHTS, NEGLIGENCE, OR OTHERWISE, AND IN NO EVENT SHALL KLX AEROSPACE SOLUTIONS BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENT DAMAGES. FURTHER, KLX AEROSPACE SOLUTIONS MUST BE NOTIFIED OF A REJECTION OF AN ITEM WITHIN 30 DAYS AFTER RECEIPT BY THE CUSTOMER.

## PACKING SLIP

Vice President of Quality

BY RECEIVING DELIVERY OF THE ITEMS COVERED BY THIS PACKING SLIP, BUYER AGREES TO THE TERMS AND CONDITIONS OF SALE AT:  
<http://www.KLXaerospace.com/conditions-sale/>

Form 22 Rev 1.0



**SOLD TO:**

002409  
 DART AEROSPACE LTD  
 1270 ABERDEEN ST  
 HAWKESBURY, ON  
 CANADA K6A 1K7

**SHIP TO:**

DART AEROSPACE LTD  
 1270 ABERDEEN ST  
 HAWKESBURY, ON  
 CANADA K6A 1K7

ORDER NO.		DATE	SHIP VIA	TERMS	SHIPPING TERMS		
PO35555		03/13/17	FEDX INTL ECON COLL	NET 30	EXW-BURGESS HILL		
ITEM NO.	QUANTITY ORDERED	PART NUMBER AND DESCRIPTION	PRICE	UNIT	BACK ORDER	SHIPPED	AMOUNT
15	130	LN9038-05012 BOLT ECCN : EURNL Country Origin: FRANCE TARIFF: 73181595 MFR: AHG ATELIERS HAUTE CTRL# : 2014G06108 LOT# : 291280 P001 F002 LOT QTY: 130  Export Supply 0% VAT according to Art 146 (1) (a), EU VAT Directive 2006/112/EC  Ultimate Destination DART AEROSPACE LTD 1270 ABERDEEN ST HAWKESBURY ON K6A 1K7 CANADA  # 1=CTN 1.00 Lb / 0.45 Kg FREIGHT ACCT# 15179324-0	1.070	EA	0	130	139.10
<p style="text-align: center;">MATERIAL TO BE RETURNED MUST HAVE PRIOR AUTHORIZATION BY KLX INC.</p> <p style="text-align: center;">ALL ITEMS ARE SUBJECT TO A 100% RESTOCKING CHARGE.</p>							

*SA70321*

\*\*\*CONTINUED\*\*\*

**SHIPPED FROM:** KLX INC., CHARLES AVENUE, BURGESS HILL, WEST SUSSEX RH15 9UF, UK  
**VAT REGISTERED ADDRESS:** KLX INC 10000 N.W. 15TH TERRACE, MIAMI, FL 33172

**ORIGINAL INVOICE**

BY RECEIVING DELIVERY OF THE ITEMS COVERED BY THIS INVOICE, BUYER AGREES TO THE TERMS AND CONDITIONS OF SALE AT:  
<http://www.KLXAerospace.com/conditions-sale/>



**SOLD TO:**

002409  
 DART AEROSPACE LTD  
 1270 ABERDEEN ST  
 HAWKESBURY, ON  
 CANADA K6A 1K7

**SHIP TO:**

DART AEROSPACE LTD  
 1270 ABERDEEN ST  
 HAWKESBURY, ON  
 CANADA K6A 1K7

ORDER NO. PO35555		DATE 03/13/17	SHIP VIA FEDX INTL ECON COLL		TERMS NET 30		SHIPPING TERMS EXW-BURGESS HILL		
ITEM NO.	QUANTITY ORDERED	PART NUMBER AND DESCRIPTION			PRICE	UNIT	BACK ORDER	SHIPPED	AMOUNT
		TEL# 613-632-3336							
		DIMENSIONS: Lg BagXX							
							80170321		
KLX VAT GB 202 3356 57									
* NBP RATIO AS OF 03/12/2017: 0.8218									
* NET Amount GBP: 114.31									
* VAT Amount GBP: 0.00									
* TOTAL AMOUNT GBP: 114.31									
mwau ARE9J5 SHIPPED ON 03/13/17									
form #16007.000303									
							SUBTOTAL 139.10		
							HANDLING 0.00		
							DISC/ALL 0.00		
							INCM FRT 0.00		
							FREIGHT 0.00		
							TOTAL : 139.10USD		
							U.S. CURRENCY		
MATERIAL TO BE RETURNED MUST HAVE PRIOR AUTHORIZATION BY KLX INC.									

*SP17-03-21*

**SHIPPED FROM:** KLX INC., CHARLES AVENUE, BURGESS HILL, WEST SUSSEX RH15 9UF, UK  
**VAT REGISTERED ADDRESS:** KLX INC 10000 N.W. 15TH TERRACE, MIAMI, FL 33172



**ORIGINAL INVOICE**

BY RECEIVING DELIVERY OF THE ITEMS COVERED BY THIS INVOICE, BUYER AGREES TO THE TERMS AND CONDITIONS OF SALE AT:  
<http://www.KLXAerospace.com/conditions-sale/>



# ATELIERS DE LA HAUTE-GARONNE

Ets AURIOL & Cie - S.A. au capital de 201850 EUR - Z.I. de FLOURENS BP73103 26 route de Lasbordes - 31130 FLOURENS (FRANCE)  
Tél. (33) 5 61 83 60 35 - Fax (33) 5 61 83 95 05 - RCS TOULOUSE B 550 800 528 - SIRET 550 800 528 00014 - APE 2593Z

## CERTIFICATE of CONFORMITY and TEST REPORT N° A594377

of 23 JUN 2014

ALEX Le 24/06/2014

ACCORDING TO NF L00-15C AND EN10204 TYPE 3.1

Page 1/ 2

Your P.O. nb. : <b>OXAL63 MLG3</b>	of : <b>24 MAR 2014</b>	Supplier number :
N° ack. : <b>291280</b>	of : <b>24 MAR 2014</b>	
Shipment to : (or notify party) <b>B/E BURGESS HILL CHARLES AVENUE</b>		
<b>RH15 9UF BURGESS HILL GREAT BRITAIN</b>		

ITEM	ORDERED	PART NUMBER	SHIPPED
1	6100 PCE	<b>LN9038 - 05 012</b> vis TH toute filetee Acier 35NC6 cadmiée 5à9µ 35NC6 marked Cadm.dichrom.coated Technical spec : DIN65149=dia<5/LN65010>=5	<b>5819 PCE</b> 34.072 Lb. ** sol.+pre.t chamfer roll sorting Coating per : cadm. cyanide 5-9µ EN2133

Lot nb	291280 P001 F002	Qty.:	5819 PCE	AHG Wire lot nb.:	204394	Material heat nb.:	065316	
	NATO Cod : F0095	Origin:	France	Original lot control N°:	286367 P002- F002	Coating date :	20 JUN 2014	
	Manufacture heading date:	24 DEC 2013	Material Producer :	BE				
				Mini	Maxi	Value	Unit	Test#
Adherence/Adhesion Test		Conf=0 / Non Conf=1			0.0000	0.0000		1
Decarburation depth 08-509MO		Tete sauf sous tete			0.0000	0.0000	mm.	2
		autres zones			0.0000	0.0000		
Durete/Hardness 08-146MO		Dureté/Hardness	269.0000			297.7000	HV10	5
		Dureté/Hardness	269.0000			298.7600	HV10	
		Dureté/Hardness	269.0000			297.7000	HV10	
		Dureté/Hardness	269.0000			296.1100	HV10	
		Dureté/Hardness	269.0000			297.6600	HV10	
Grain Flow conformity 08-400MO	Conforme O/N	Conf=0 & Non conf=1			0.0000	0.0000	xEp.T	2
		mesure centre/sstête	0.5000		0.6000	0.5000		
Microstructure Conformity	Conforme O/N	Conf=0 & Non conf=1			0.0000	0.0000	mm.	2
Proof Load Test 08-523MO		D charge/Proof Load	950.0000			974.6855	DaN	2
		D charge/Proof Load	950.0000			1003.8719	DaN	
Proof Load Test Déformat		Déformation/Set			12.5000	8.0000	µm	2
		Déformation/Set			12.5000	8.0000	µm	

This test report shall not be reproduced, in part or in full, without the written permission of AHG.  
Any alteration, forgery or fraudulent report will be punishable by the French Law.

Item 1 to be continued

./..





# ATELIERS DE LA HAUTE-GARONNE

Ets AURIOL & Cie - S.A. au capital de 201850 EUR - Z.I. de FLOURENS BP73103 26 route de Lasbordes - 31130 FLOURENS (FRANCE)  
Tél. (33) 5 61 83 60 35 - Fax (33) 5 61 83 95 05 - RCS TOULOUSE B 550 800 528 - SIRET 550 800 528 00014 - APE 2593Z

## CERTIFICATE of CONFORMITY and TEST REPORT N° A594377

of 23 JUN 2014

ALEX Le 24/06/2014

ACCORDING TO NF L 00-15C AND EN10204 TYPE 3.1

Page 2/ 2

Your P.O. nb. :	OXAL63 MLG3	of : 24 MAR 2014	Supplier number :
N° ack. :	291280	of : 24 MAR 2014	

ITEM	ORDERED	PART NUMBER	SHIPPED
Item 1	Continuation	LN9038 - 05 012	
Ressuage/Fluorescent Penetrant		Conf=0 & Non conf=1 Nb pièces testées	0.0000 0.0000 592 592.0000
Traction/Tensile 08-403MO		D Traction/Tensile vitesse/load rate	1280.0000 1388.6809 DaN 2 12.6000 15.4000 13.6977
		D Traction/Tensile vitesse/load rate	1280.0000 1400.6517 DaN 12.6000 15.4000 13.7657
Oblique Tensile test		D Traction/Tensile vitesse/load rate	1280.0000 1352.7701 DaN 2 12.6000 15.4000 14.7048
		D Traction/Tensile vitesse/load rate	1280.0000 1373.3473 DaN 12.6000 15.4000 15.3022

C	CR	CU	MN	NI	P	S	SI			FE
0,35800	1,00100	0,18400	0,82000	1,38900	0,01200	0,00700	0,28900			BALANCE

OUR AIRBUS SAS APPROVAL NUMBER IS : 30030 of 31 August 2007  
OUR BAE SYSTEMS APPROVAL LETTER REFERENCE IS : ACO/A/LT/JJH/3035


This test report shall not be reproduced, in part or in full, without the written permission of AHG.  
Any alteration, forgery or fraudulent report will be punishable by the French Law.

Parts manufactured by AHG and delivered under this CoC are DFARS compliant per DFAR 252.225-7009

We hereby declare, subject to exceptions, reservations, or concessions listed in this statement of conformity, that the listed supplies comply with the contract requirements and that, after completion of testing and verification, they satisfy in every respect all specified requirements and applicable standards and regulations.

SUPPLIER'S INSPECTION 23 JUN 2014  
NAME AND FUNCTION

Gilles GUISSSET CTLF Chef Service Contrôle  
Computer controlled signature



\*\* Estimated quantity

--- TRUE COPY CERTIFICATION ---

**CERTIFICAT DE RECEPTION TYPE 3.1**

Conforme à la EN 10204

**INSPECTION CERTIFICATE - TYPE 3.1**

Conforms to EN 10204

N° Certificat : 1

N° Lot : 60967/0

N° de Commande : 118578MPVI

Purchase Order N°

Date : 17/06/13

Référence Client : 01023135-0440

Customer Reference :

N° Bon de Livraison :

Delivery Note N° :

Poids :

Weight :

56402  
1967 KG

Désignation Produit : Fil tréfilé 4.40 mm(+/- 0.02)

Product ordered : Etat recuit  
revêtement phosphaté

35NC6

Client : ATELIERS DE LA HTE GARONNE

Customer :

26 ROUTE DE LASBORDES  
ZI DE FLOURENS  
31130 FLOURENS  
FRANCE

Spécifications : Cahier des charges 02-286/CC

Specifications : + Cahier des charges SM-35 indice B

Capable de :

Capable of :

**Analyse chimique / Chemical analysis - % masse / % weight**

N° Coulée :

Heat N° :

065316

N° certificat

Orig. mill N° :

2272619/02

Al	C	Cr	Cu	Fe	Mn	Mo	Ni	P	S	Si
0.025	0.358	1.001	0.184	BALANCE	0.82	0.0512	1.389	0.012	0.007	0.289

**PROPRIETES MECANQUES / MECHANICAL PROPERTIES**

Etat métallurgique / Metallurgical condition

ESSAI DE TRACTION / TENSILE TEST

Taille grain /

Dureté /

Etat de livraison / As shipped properties

0 (°C)

Rm (Mpa)

Rp0.2% (Mpa)

A%

Z%

Grain size

Hardness

Etat de référence 1 / Capability condition 1

850°C/30MIN/HUILE+575°C/1/AIR

TA

925.0

834

15.0

9

180

HB

Fluage / Stress rupture

Mpa

h

Etat de référence 2 / Capability condition 2

TA

Fluage / Stress rupture

Mpa

h

Etat de référence 3 / Capability condition 3

TA

Fluage / Stress rupture

Mpa

h

**AUTRES CONTRÔLES / OTHER INSPECTIONS :**

Etat de surface / Surface condition : SATISFAISANT

Contrôle dimensionnel / Dimensional inspection : 4.40 mm +/-0.02

ELABORATION ASCOMETAL

CONTROLE U.S SUR BILLETTE

RESILIENCE KCU SUR 1/2 PRODUIT 10.2 DAJ/CM2

**Référence des dérogations / Concessions list :**

Nous déclarons que sauf exceptions ou dérogations énumérées ci-dessus, la fourniture citée a été fabriquée conformément aux spécifications techniques du marché, commande, ou sous-commande du Client, et que toutes opérations de contrôle et essais effectués, elle répond sous tous ses aspects, aux spécifications particulières, aux plans, ainsi qu'aux normes en vigueur s'y rapportant.

We declare that unless otherwise stated, the above described products have been manufactured, tested and inspected in accordance with the technical specification of the contract, order or subcontract applicable thereto and conforms fully to the special requirements, drawings and standards quoted hereon.

Le signataire habilité :

The authorised signatory :

Date édition : 15/07/2013

C.FERRAGUTI  
Agent de certification



Usine de FOS SUR MER  
Boite Postale 40030  
13771 Fos-sur-Mer cedex

Téléphone : 04 42 47 93 00  
Télécopie : 04 42 05 45 01

# CERTIFICAT DE RECEPTION

03/06/2013

COMMANDE N° 2589610

CODE FC33

V/REF : 5151

DU : 26/09/2012

YOUR ORDER/THRE SEICEN

DATED/DATIN

AFFAIRE SUIVIE PAR : DVF SUD CLI

DESTINATAIRE DOCUMENT :  
DOCUMENT FOR/ENPFANGER

YOUR CONTACT IS/BEARBEITER

N/REFERENCE : 2272619 / 02

ACCOMPLISH ORDER/WERKSEBESTELLUNG

N° AVIS D'EXPEDITION : 2013008033 MASSE : 4255

BROWN EUROPE SAS

ADVISE NOTE NO./LIEFERUNG

WEIGHT/GEWICHT

N° DE LOT : P 2589610

LAVAL DE CERE  
46130 LAVAL DE CERE  
FRANCE

WORKS ORDER NUMBER/REFERENCE WERK FOS

COULEE : 065316

NUANCE : 35NC6

CAST/SCHWELGE

GRADE/WERKSTOFF

PRODUITS : 35NC6 FILSMACH. 0008,000 MM BRUT.LAMIN REC.GLOBUL DECAP.SEUL

PRODUCT DESCRIPTION/SPECIFICATION

SPECIFICATION : AIR 9160 C/EN2438/LOFC 55D

IND : SANS

DATE : 00/00/2000

SPECIFICATION/SPECIFICATION : CLASSE 2 AIR 0819+MBE 00

REV/ENTWURF

DATED/DATUM

RECEPTION :

## ANALYSE : (M %)

LADLE ANALYSIS/SCHWELGENANALYSE

CODE	ELEMENT	MINI	C	SI	MN	NI	CR	MO	CU	S	P	AL
MINI	SPEC MIN	MINI	0,300	0,100	0,600	1,200	0,850					
VALEUR	ACTUAL	WERTE	0,358	0,289	0,820	1,389	1,001	0,0512	0,184	0,0070	0,012	0,025
MAXI	SPEC MAX	MAXI	0,370	0,400	0,300	1,600	1,100			0,0200	0,025	

COMMENTAIRES

COMMENTS/ANMERKUNGEN

ELABORATION POUR ELECTRIQUE VOIE LINGOTE DEGAZE SOUS VIDE

## ESSAI JOMINY

: (MM / HRC / 850° C)

JOMINY TEST/HARDTHARKEIT ERGEBNISSE

DISTANCE	DISTANCE	ARSTAND	5,0	9,0	15,0	25,0	40,3
MINI	SPEC MIN	MINI	49,0	48,0	44,0	40,0	35,3
VALEUR	ACTUAL	WERTE	54,6	51,8	51,5	46,4	42,4
MAXI	SPEC MAX	MAXI	60,0	57,0	55,0	53,0	50,0

## CARACTERISTIQUES MECANIQUES DE COULEE

HEAT MECHANICAL PROPERTIES ON TEST COUPON/SCHWELZEN MECHANISCHE EIGENSCHAFTEN

TRAITEMENT TREATMENT/SCHWELZIGKEIT

TREMPES :

HUILE

TEMPERATURE :

850 ° C

REVENU :

575 ° C

DUREE : 0,5

QUENCHED/ABSCHRECKHAFTEN

TEMPERATURE/TEMPERATUR

TEMPERED/VERGUTET

TIME/DAUER

TRACTION TENSILE/SUGFESTIGKEIT

DIAMETRE DIAMETER/DIAMETER

10,0

RM N/MM2

RE N/MM2

A %

MINI

SPEC MIN

MINI

850,0

740,0

14,0

VALEUR

ACTUAL

WERTE

1064,0

997,0

15,0

MAXI

SPEC MAX

MAXI

1060,0

RESILIENCE

LONG

IMPACT TEST

KEINSCHLAGSARTIGKEIT

LONGITUDINAL

LANGS

TYPE

TEMP

MIN

MAX

VAL

GRITE

KCU

7,0

10,2 J/M2

## CARACTERISTIQUES DE LIVRAISON

PROPERTIES IN SUPPLY CONDITION

TRACTION TENSILE/SUGFESTIGKEIT

RM N/MM2

MINI

SPEC MIN

MINI

637

VALEUR

ACTUAL

WERTE

637

MAXI

SPEC MAX

MAXI

650

Nous certifions que les produits livrés sont conformes aux prescriptions de la commande et respectent la directive européenne 2002/53/CE du 18 septembre 2002. / We hereby certify that above-mentioned products comply with the order requirements and respect of the European directive 2002/53/CE of 18 September 2002. / Wir bestätigen hiermit, dass die obengenannten Erzeugnisse den Bestellsvorschriften und der U-Richtlinie 2002/53/CE vom 18. September 2002 entsprechen. Alle in unseren Stahlwerken hergestellten Schmelzen werden kontrolliert, so dass die gelieferten Produkte keine Radioaktivität aufweisen, die höher ist als die natürliche Strahlung der Umwelt.

S.A.S au capital de 65 285 430 Euros - RCS Nanterre : B 331 048 132 Siret : 331 048 132 00020 - Code NAF : 2410Z  
Siège Social : Immeuble le Colisée 8, avenue de l'Arche faubourg de l'Arche 92419 Courbevoie cedex



Usine de FOS SUR MER  
Boite Postale 40030  
13771 Fos-sur-Mer cedex

Téléphone : 04 42 47 93 00  
Télécopie : 04 42 05 45 01

CERTIFICAT DE RECEPTION

03/06/2013

COMMANDE N° 2589610

CODE FC33

V/REF : 5151  
YOUR ORDER/IBRS LEICHEN

DU : 26/09/2012  
DATED/DATUM

AFFAIRE SUIVIE PAR : DVP SUD CLI  
YOUR CONTACT IS/BEARBEITER

DESTINATAIRE DOCUMENT :  
DOCUMENT FOR/EMPFANGER

N/REFERENCE : 2272619 / 02  
ASCOMETAL ORDER/WORKSRESTALLING

BROWN EUROPE SAS

N° AVIS D'EXPEDITION : 2013008033 MASSE : 4255

LAVAL DE CERE  
46130 LAVAL DE CERE  
FRANCE

ADVICE NOTE NO./BRIEFUNG WEIGHT/GERICHT

N° DE LOT : F 2589610

WORKS ORDER NUMBER/REFERENC WERK FOS

COULEE : 065316 NUANCE : 35NC6

CAST/SCHMELZE GRADE/WERKSTOFF

PRODUITS : 35NC6 FILSMACH. 0008,000 MM BRUT.LAMIN REC.GLOBUL DECAP.SEUL

PRODUCT DESCRIPTION/SPEZIFIKATION

SPECIFICATION : AIR 9160 C/EN2438/LOFC 55D

IND : SANS

DATE : 00/00/2000

SPECIFICATION/SPEZIFIKATION : CLASSE 2 AIR 0819+MBE 00

RECEPTION :  
REV/ENTWURF

DATED/DATUM

INFORMATIONS COMPLEMENTAIRES

ADDITIONAL INFORMATION

CONTROLE ULTRA-SONS	ULTRASONIC EXAMINATION	ULTRASCHALL PRUFUNG	NORME	RESULTATS
CONTROLE MAGNETOSCOPIE	MAGNETIC PARTICLE INSP	MAGNETOSKOPISCHE PRUFUNG	ASCOMETAL	100% CONFORME
CONTROLE TAILLE GRAIN	GRAIN SIZE	KORNGROSSE	AIR 0819 CLASSE 2	CONFORME
COMMENTAIRES	COMMENTS/ANMERKUNG	CONTROLE ANTI-MELANGE CONFORME		7-X
		CONTROLE US CONFORME A ISO 94 25 117 & CLASSE A		
		DEFAULT DE SURFACE = 0.02MM		
		DECARB GLOBALE = 0.04MM		

CERTIFICAT DE RECEPTION CONFORME EN 10204 3-1  
ABNAHMEPRUFZEUGNIS NACH EN 10204 3-1  
INSPECTION CERTIFICATE ACCORDING TO EN 10204 3-1

LE RESPONSABLE SPECIFICATIONS  
SPEZIFIKATIONSLEITER  
SPECIFICATION MANAGER  
A. GENTA

Page : 2  
(dernière page)

Nous certifions que les produits cités sont conformes aux prescriptions de la norme européenne 2001/53/CE de 18 septembre 2001. Toutes les caisses chargées dans nos véhicules sont contrôlées et nous garantissons que tous nos produits livrés présentent un niveau de radioactivité au plus égal à la radioactivité admissible et sont donc exempts de toute pollution.

We hereby certify that above-mentioned products comply with the order requirements and respect the European directive 2001/53/CE of 18 September 2001. All cases products in our steel plates are inspected, enabling us to guarantee that products supplied have a level of radioactivity not exceeding that present in the environment and are therefore free of any radioactive contamination.

Wir bestätigen hiermit, dass die obengenannten Produkte den Bestimmungen der EU-Richtlinie 2001/53/CE vom 18 September 2001 entsprechen. Alle in unsere Stahlwerke beladenen Schmelzen werden kontrolliert, so dass die gelieferten Produkte keine Radioaktivität aufweisen, die höher ist als die natürliche Strahlung der Umwelt.

S.A.S au capital de 65 285 430 Euros - RCS Nanterre : B 331 048 132 Siret : 331 048 132 00020 - Code NAF : 2410Z  
Siège Social : Immeuble le Colisée 8, avenue de l'Arche faubourg de l'Arche 92419 Courbevoie cedex



# ATELIERS DE LA HAUTE-GARONNE

Ets AURIOL & Cie - S.A. au capital de 201850 EUR - Z.I. de FLOURENS BP73103 26 route de Lasbordes - 31130 FLOURENS (FRANCE)  
Tél. (33) 5 61 83 60 35 - Fax (33) 5 61 83 95 05 - RCS TOULOUSE B 550 800 528 - SIRET 550 800 528 00014 - APE 2593Z

## CERTIFICATE of CONFORMITY and TEST REPORT

DB Le 26/06/2014

ACCORDING TO NF L 00-15C AND EN10204 TYPE 3.1

Page 1/ 2

Shipment to : (or notify party) <b>B/E BURGESS HILL CHARLES AVENUE</b>	Shipment number : 127696 of : 26 JUN 2014 Supplier number :
<b>RH15 9UF BURGESS HILL GREAT BRITAIN</b>	Number of packaging : 2 Gross weight : 16.45 kg. Net weight : 15.45 kg.

ORDERED	PART NUMBER	SHIPPED	BALANCE
---------	-------------	---------	---------

Your P.O. Number: OXAL63 MLG3/1

N° Ack/Item: 291280/1

6100 PCE	<b>LN9038 - 05 012</b> vis TH toute filetee Acier 35NC6 cadmiée 5à9µ 35NC6 marked sol.+pre.t chamfer roll sorting	<b>5819 PCE</b> 34.000 Lb. **	<b>281 PCE</b>
Technical spec :	DIN65149=di<5/LN65010>=5 Cadm.dichrom.coated	Coating per : cadm. cyanide 5-9µ EN2133	

Lot nb 291280 P001 F002 Qty.: 5819 PCE AHG Wire lot nb.: 204394 Material heat nb.: 065316  
N° CC: A594377 NATO Cod : F0095 Origin: France Original lot control N°286367 P002- F002  
Manufacture heading date: 24 DEC 2013 Material Producer : BE Coating date : 20 JUN 2014

### SUPPLIER'S INSPECTION

NAME AND FUNCTION: Gilles GUISSSET CTLF Chef Service Contrôle  
DATE 23 JUN 2014 Computer controlled signature



En application du Règlement REACH, cet article contient du cadmium N°CAS7440-43-9 à une concentration > 0,1% en poids  
In accordance with REACH Regulation, this article contains cadmium N°CAS7440-43-9 at a concentration above 0,1% mas/mas

		Mini	Maxi	Value	Unit	Test#
Adherence/Adhesion Test	Conf=0 / Non Conf=1		0.0000	0.0000		1
Decarburisation depth 08-509MO	Tete sauf sous tete autres zones		0.0000 0.0000	0.0000 0.0000	mm.	2
Durete/Hardness 08-146MO	Dureté/Hardness	269.0000		297.7000	HV10 HV10 HV10 HV10 HV10 HV10 HV10	5
Grain Flow conformity 08-400MO	Conforme O/N	Conf=0 & Non conf=1 mesure centre/sstete	0.0000 0.5000	0.0000 0.6000	xEp.T	2
Microstructure Conformity	Conforme O/N	Conf=0 & Non conf=1	0.0000	0.0000	mm.	2
Proof Load Test 08-525MO		950.0000		974.6855	DaN	2

This test report shall not be reproduced, in part or in full, without the written permission of AHG.

Any alteration, forgery or fraudulent report will be punishable by the French Law.

Item 1 to be continued

./..



# ATELIERS DE LA HAUTE-GARONNE

Ets AURIOL & Cie - S.A. au capital de 201850 EUR - Z.I. de FLOURENS BP73103 26 route de Lasbordes - 31130 FLOURENS (FRANCE)  
Tél. (33) 5 61 83 60 35 - Fax (33) 5 61 83 95 05 - RCS TOULOUSE B 550 800 528 - SIRET 550 800 528 00014 - APE 2593Z

## CERTIFICATE of CONFORMITY and TEST REPORT

DB Le 26/06/2014

ACCORDING TO NF L 00-15C AND EN10204 TYPE 3.1

Page 2/ 2

		Shipment number :	127696	of :	26 JUN 2014
		Supplier number :			

ORDERED		PART NUMBER		SHIPPED				BALANCE			
Item	1	Continuation	LN9038 - 05 012								
				D charge/Proof Load	950.0000		1003.8719		DaN		
Proof Load Test Déformat				Déformation/Set		12.5000	8.0000		µm	2	
				Déformation/Set		12.5000	8.0000		µm		
Ressuage/Fluorescent Penetrant				Conf=0 & Non conf=1		0.0000	0.0000			592	
				Nb pièces testées			592.0000				
Traction/Tensile 08-403MO				D Traction/Tensile	1280.0000		1388.6809		DaN	2	
				vitesse/load rate	12.6000	15.4000	13.6977				
				D Traction/Tensile	1280.0000		1400.6517		DaN		
				vitesse/load rate	12.6000	15.4000	13.7657				
Oblique Tensile test				D Traction/Tensile	1280.0000		1352.7701		DaN	2	
				vitesse/load rate	12.6000	15.4000	14.7048				
				D Traction/Tensile	1280.0000		1373.3473		DaN		
				vitesse/load rate	12.6000	15.4000	15.3022				
C	CR	CU	MN	NI	P	S	SI			FE	
0,35800	1,00100	0,18400	0,82000	1,38900	0,01200	0,00700	0,28900			BALANCE	

OUR AIRBUS SAS APPROVAL NUMBER IS : 30030 of 31 August 2007  
OUR BAE SYSTEMS APPROVAL LETTER REFERENCE IS : ACO/A/LT/JJH/3035

This test report shall not be reproduced, in part or in full, without the written permission of AHG.

Any alteration, forgery or fraudulent report will be punishable by the French Law.

Parts manufactured by AHG and delivered under this CofC are DFARS compliant per DFAR 252.225-7009

We hereby declare, subject to exceptions, reservations, or concessions listed in this statement of conformity, that the listed supplies comply with the contract requirements and that, after completion of testing and verification, they satisfy in every respect all specified requirements and applicable standards and regulations.

\*\* Estimated quantity

--- TRUE COPY CERTIFICATION ---



# ATELIERS DE LA HAUTE-GARONNE

Ets AURIOL & Cie - S.A. au capital de 201850 EUR - Z.I. de FLOURENS BP73103 26 route de Lasbordes - 31130 FLOURENS (FRANCE)  
Tél. (33) 5 61 83 60 35 - Fax (33) 5 61 83 95 05 - RCS TOULOUSE B 550 800 528 - SIRET 550 800 528 00014 - APE 2593Z

**PACKING SLIP N° 127696**

of 26/06/2014

P/ 1

DB

Supplier number :

Account N°: **8092** File N°: **G 44**  
Represent.: 002B ANDREA GHEZZI Coface N°

Shipment to  
**B/E BURGESS HILL**  
**CHARLES AVENUE**

Ordered by :  
**B/E BURGESS HILL**  
**CHARLES AVENUE**

**RH15 9UF BURGESS HILL**  
**GREAT BRITAIN**  
Tél: 0044 1444 828 000 Fax:

**RH15 9UF BURGESS HILL**  
**GREAT BRITAIN**  
Tél: 0044 1444 828 000 Fax:

Pre-carriage by : **UPS 409W09 AHG STANDARD**  
**TOULOUSE**

Number of packaging : **2**  
Net weight : **15.455 Kg.** Gross weight: **16.455 Kg.**

ORDERED	PART NUMBER	QTY.SHIP.	SCHEDULED	TO BE DELIV.
---------	-------------	-----------	-----------	--------------

AIRCRAFT PARTS

Manufactured by AHG - NATO: F0095 - Origin: FRANCE

Your P.O.Nbr: **OXAL63 MLG3/1**

Our Ack/Item: **291280/001**

6100 EA	<b>LN9038 - 05 012</b>	5819 EA	03 JUL 2014	281 EA
39.295 Lb.**	35NC6	34.072 Lb.**		

sol.+pre.t

marked

chamfer

Cadm.dichrom.coated roll sorting vis TH toute filetee Acier 35N

Technical spec: DIN65149=di<5/LN65010>=5

Coating per: cadm. cyanide 5-9µ EN2133

Lot nb **291280 P 001 F002** Qty.: **5819 EA**

\*\* Estimated quantity



P.O. Box 025263, Miami, FL 33102-5263 • Tel: 305.925.2600 • Fax: 305.507.7191  
Plant Location: 10000 N.W. 15th Terrace, Miami, FL 33172 • SITA: MIAMMCR  
www.KLXaerospace.com

Shipped From: KLX INC., CHARLES AVENUE, BURGESS HILL, WEST SUSSEX RH15 9UF, UK


### Material Certification

The items set forth on the purchase order referred to below have been visually inspected and the dimensions thereof have been measured by us, and based on the aforesaid, as well as the representation made to us by the manufacturers of the items subject of such purchase order, we hereby certify that such items are in conformity with all current governmental and manufacturer's requirements, specifications, drawings, and conform to the purchase order requirements. Said items are in new condition and have not been obtained from any U.S. Government or Military source and are traceable to KLX Aerospace Solutions.

**FIRM: DART AEROSPACE LTD**

**PURCHASE ORDER#: PO35555**

LINE#	QUANTITY	U/M	PART-NUMBER	CUST REF#	LOT-NUMBER	MANUFACTURER	CCODE	MFR	DTE	EXP DATE
15	130	EA	LN9038-05012		291280 P001 P002	AHG ATELIERS HAUTE	F0095			

  
Jason Lewis  
Senior Director, Global Quality

03/13/17

Inv #J9B22A 03/13/17